EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	595	"379"/$.ccls or 348/14.02. ccls. or 455/414,41.ccls. or 345/738.ccls. or 382/183. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
L2	6331	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
L3	16	L2 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
S1	5499	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:08
S2	563	(mobile or phone or PDA or handheld or cell) with (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:08
S3	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:09
S4	37	S3 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:09
S5	80222	(mobile or phone or PDA or handheld or cell) with (code or parcode near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:24

S6	563	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:25
S7	3	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)with memory with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:24
S8	17	S4 and analyz$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:26
S9	252	code near1 recogni$5 near1 process$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:30
S10	21	S2 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:30
S11	209	osamu.in. and otaka.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:18
S12	11	Moroto.in. and norioki .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:21
S13	785	watanabe.in. and shinichiro .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S14	1584	satoshi.in. and ogawa.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22

S15	6	S11 and S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S16	3	S11 and S12 and S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S17	2	(mobile or phone or PDA or handheld or cell) with (code near2 image) with memory and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:52
S18	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S19	37	S18 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S20	17	S19 and analyz$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S21	17	S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S22	567	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:12
S23	567	S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:12

S24	17	S22 and control and memory and (application near program) and analyz $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S25	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S26	37	S25 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S27	17	S26 and analyz$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S28	2	("2002/0047867").URPN.	USPAT	OR	OFF	2008/03/11 09:37
S29	0	("7213743").URPN.	USPAT	OR	OFF	2008/03/11 09:39
S30	3	("6715131").URPN.	USPAT	OR	OFF	2008/03/11 09:39
S31	8	"5,704,350".pn. or "4,891,756".pn. or "6,219,560".pn. or "5,475,441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:46
S32	1	S31 and (application near (program or manager or execution or unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:48
S33	47	S22 and (application near (program or manager or execution or unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:49

S34	17	S33 and control and memory and analyz$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:50
S35	0	("2007/0241189").URPN.	USPAT	OR	OFF	2008/03/11 09:52
S36	0	("2007/0233729").URPN.	USPAT	OR	OFF	2008/03/11 09:52
S37	0	("2006/0282500").URPN.	USPAT	OR	OFF	2008/03/11 09:53
S38	0	("2006/0232662").URPN.	USPAT	OR	OFF	2008/03/11 09:53
S39	2019	(application near program) with down load with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:12
S40	50	(application near program) with download with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:13
S41	1	S40 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S42	1	S40 and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S43	24	S40 and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S44	1	S22 and (read$3 near control near mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:19

S45	1	(one near dimension near barcode) and "379"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:17
S46	2	(one near dimension near barcode) and (two near dimension near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:25
S47	2	(one near dimension near code) and (two near dimension near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:26
S48	321	(one near dimension$2 near code) and (two near dimension$2 near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:28
S49	242	S48 and (PDA or cell or phone or telephone or PC or computer or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:30
S50	93	S49 and code near image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S51	93	S49 and (code near image) \	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S52	93	S49 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S53	37	S52 and (code near reader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:32

S54	1	S53 and (control with read $3 with mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:32
S55	23	S53 and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:33
S56	23	S55 and (control$3 or processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:36
S57	0	("2006/0065733").URPN.	USPAT	OR	OFF	2008/03/11 16:47
S58	0	("2006/0038145").URPN.	USPAT	OR	OFF	2008/03/11 16:48
S59	10	("20020176711" | "20030198383" | "5659167" | "5821523" | "5923735" | "6040856" | "6058304" | "6330975" | "6561428" | "6807294"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/11 17:01
S60	10	("20020176711" | "20030198383" | "5659167" | "5821523" | "5923735" | "6040856" | "6058304" | "6330975" | "6561428" | "6807294"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 09:05
S61	2	S60 and (two near2 dimension$3 near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:05
S62	3	S60 and (code or barcode) near1 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:10
S63	0	"10577287"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:14

S64	0	10/577287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S65	0	10/577287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S66	0	10/577,287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S67	0	(10/577,287).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S68	1	10/557,287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:16
S69	21	(((japanese near article near number) with code) or (JAN near code)) and QR near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:41
S70	7	S69 and analyz$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:42
S71	1	(plural$3 near2 code near1 recognition) with analyz$3 with (cod$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:00
S72	1	((plural$3 or many or different) near2 code near1 recognition) with analyz$3 with (cod$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:01

S73	1	((plural$3 or many or different) near2 code near1 recognition) and analyz$3 and (cod$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:01
S74	8	((plural$3 or many or different) near2 code near1 recognition) and analyz$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:02
S75	745	(mobile or cell or PDA or handheld ot phone or telephone) with ((pass$3 or transmit$4 or transfer $3) near1 (information or data)) with (permission$1 or accept$3 or allow$3 or agree$4 or initiat$3) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:06
S76	2	S75 and code near image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:08
S77	29	(mobile or cell or PDA or handheld ot phone or telephone) with ((pass$3 or transmit$4 or transfer $3) near1 (information or data)) with (permission$1 or accept$3 or allow$3 or agree$4 or initiat$3) with control with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:08
S78	64	(code near image) with ((extra or additional or more) near1 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:57
S79	40	(permission$1 or accept$3 or allow$3 or agree$4 or initiat$3) and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:58
S80	10	S79 and (application near program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:59

| S81 | 184 | ("20010055422" \| "20020039099" \| "20020110283" \| "20020128796" \| "20030034463" \| "20030089775" \| "20040155110" \| "20060071081" \| "3801775" \| "3902047" \| "4020463" \| "4286255" \| "4335303" \| "4387298" \| "4499372" \| "4530584" \| "4544064" \| "4562592" \| "4581762" \| "4588211" \| "4656591" \| "4760248" \| "4776464" \| "4794239" \| "4832204" \| "4835372" \| "4855842" \| "4858000" \| "4868757" \| "4873426" \| "4877948" \| "4877949" \| "4924078" \| "4948955" \| "4972494" \| "5010241" \| "5019699" \| "5023438" \| "5038391" \| "5039847" \| "5050223" \| "5054102" \| "5102110" \| "5103489" \| "5119433" \| "5120940" \| "5134669" \| "5138140" \| "5138141" \| "5199081" \| "5199084" \| "5212777" \| "5237625" \| "5243655" \| "5262623" \| "5262871" \| "5278399" \| "5291243" \| "5296689" \| "5296690" \| "5296960" \| "5299116" \| "5301243" \| "5304423" \| "5304786" \| "5307423" \| "5317388" \| "5331151" \| "5331176" \| "5337361" \| "5354977" \| "5375226" \| "5378883" \| "5392447" \| "5396054" \| "5399846" \| "5410141" \| "5413383" \| "5414251" \| "5420943" \| "5421778" \| "5428211" \| "5428212" \| "5448375" \| "5449201" \| "5467411" \| "5471533" \| "5489158" \| "5490217" \| "5500516" \| "5504322" \| "5504367" \| "5506697" \| "5508818" \| "5513017" \| "5521366" \| "5550364" \| "5550366" \| "5557091" \| "5570135" \| "5574519" \| "5581636" \| "5591955" \| "5591956" \| "5598007" \| "5607187" \| "5617481" \| "5627915" \| | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/03/12 16:16 |

		"5635697" | "5642442" | "5644408" | "5646390" | "5659167" | "5684290" | "5691527" | "5697504" | "5702059" | "5703349" | "5710419" | "5723868" | "5726981" | "5734153"). PN. OR ("5760382" | "5761686" | "5770841" | "5773806" | "5780834" | "5783811" | "5786586" | "5796090" | "5818028" | "5818528" | "5821518" | "5834754" | "5837986" | "5841121" | "5857029" | "5867595" | "5880453" | "5886338" | "5892824" | "5917925" | "5917945" | "5929418" | "5949052" | "5949053" | "5949057" | "5974202" | "5992753" | "6000612" | "6002491" | "6011873" | "6019286" | "6055552" | "6060722" | "6062475" | "6076731" | "6076738" | "6094509" | "6095418" | "6098887" | "6105871" | "6115513" | "6122410" | "6123261" | "6129278" | "6149063" | "6195122" | "6212504" | "6223988" | "6285916" | "6290132" | "6298175" | "6298176" | "6330975" | "6340114" | "6347163" | "6398112" | "6494375" | "6512218" | "6561428" | "6722569" | "6834807" | "6899273").PN.				
S82	5	S81 and (code near image) and (application near program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:18
S83	4	(code near image) with (includ$3 or have or embaded) with ((other or extra or more) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:24

S84	43	(code near image) with (includ$3 or have or embaded)) with (permi$5 or allow$3 or accept$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:27
S85	796	code with ((permi$4 or security or match$3) near1 bit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:06
S86	57	code with (portion or part) with((permi$4 or security or match$3) near1 bit$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:07
S87	172	(code near image) with (contain$3 or includ$3 or have or has) with (authoriz $3 or authentication or ID or permi$5 or allow$3 or accept$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:33
S88	111	(code near image) with (contain$3 or includ$3 or have or has) with (authoriz $3 or authentication or ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:34
S89	10	(code near image) with (portion or part or bits or additional) with (contain$3 or includ$3 or have or has) with (authoriz$3 or authentication or ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:35
S90	301	(code near image) with (portion or part or bits or additional) with (contain$3 or includ$3 or have or has)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:40
S91	214	(code adj image) with (portion or part or bits or additional) with (contain$3 or includ$3 or have or has)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:41
S92	3	(code adj image) with (portion or part or bits or additional) with (contain$3 or includ$3 or have or has) with (allow$3 OR ERMIT$4 OR ENABL$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:43

S93	6	(code adj image) with (portion or part or bits or additional) with (contain$3 or includ$3 or have or has) with (allow$3 OR permit$4 OR ENABL$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:44
S94	3	(code adj image) with (portion or part or bits or additional) with (contain$3 or includ$3 or have or has) same permit$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:45
S95	14277	(bar near code).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:54
S96	32170	(bar near code).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S97	11388	S95 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S98	543	S97 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S99	19	S98 and ((bar$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:57
S100	10	("4476381" | "5869828" | "5920062" | "6032861" | "6032863" | "6270724" | "6398117" | "6457651" | "6478223" | "6479016").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 18:06
S101	2	S100 and ((bar$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:08

S102	2	S100 and ((bar$1 near code) with ((additional or extra or aupplemental) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:18
S103	0	"325"/$ ccls. and ((bar$1 near code) with ((additional or extra or aupplemental) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:19
S104	341	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 19:21
S105	25	S104 and (allow$3 or permit$4 or authoriz$4) near (access or log or download))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 19:23
S106	4206	382/115-124.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:16
S107	64	S106 and (code near3 binary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:17
S108	64	S106 and (code near3 binary) with code$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:18
S109	41	S108 and analyz$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:18
S110	342	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:19

S111	342	S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:19
S112	0	S111 with (binary near1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S113	12	S111 and (binary near1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S114	9	S113 and analyz$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S115	12	(image near1 file) with (binary near1 data) with code$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:26
S116	5548	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:38
S117	5548	S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:38
S118	5548	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:40
S119	5548	S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:40

S120	493	345/810.ccls. or 705/408. ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:45
S121	9	S120 and S119	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:45
S122	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S123	45	S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S124	8	"5,704,350".pn. or "4,891,756".pn. or "6,219,560".pn. or "5,475,441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S125	8	S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S126	64	(code near image) with ((extra or additional or more) near1 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S127	64	S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S128	40	(permission$1 or accept$3 or allow$3 or agree$4 or initiat$3) and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48

S129	40	S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S130	342	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:49
S131	342	S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:49
S132	493	345/810.ccls. or 705/408. ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:54
S133	80990	(mobile or phone or PDA or handheld or cell) with (code or parcode near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:55
S134	20	S132 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:55
S135	50	(application near program) with download with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:56
S136	16	S133 and S135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:57
S137	728	((bar$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:57

S138	104	S133 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:58
S141	152193	(mouse near5 key$1board)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S142	540	(mouse near3 key$1board) near5 housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S143	164	(mouse near2 key$1board) near3 housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S144	1	10/799627	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:02
S145	1	"20030089775" and analyz$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:06
S146	67354	(lap$1top or portable) and mouse and key$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S147	10810	(lap$1top or portable) same mouse same key$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S148	3449	(lap$1top or portable) with mouse with key$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13

S149	173	(lap$1top or portable) near2 mouse near2 key $1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S150	2	"20020047867" and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 07:53
S151	1	"20020047867" and (software same display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 07:58

12/3/2008 10:12:46 AM
C:\ Documents and Settings\ melzoobi\ My Documents\ EAST\ Workspaces\ mobile communication terminal.wsp